



RAF NAR



RAF NAR 1200 Proposal

RAF NAR HELLAS | Industrial Park of Keratea, Athens, Greece



RAF NAR

RAF NAR 1200 Cabin

Technical Data

General Information <ul style="list-style-type: none">- 12,00m length overall- 3,30m beam overall- 4,800kg light weight- 3 x 300L fuel capacity- Vinylester vacuum infuse construction- Top speed >50 knots- Range 250 – 300nm	Engine and Power <ul style="list-style-type: none">- Standard equipment: 3 x Mercury V8 300hp outboard
Lights <ul style="list-style-type: none">- LED Navigation Lights- 4x LED deck lights- LED Cabin lights- LED Searchlight	Inflatable Tube <ul style="list-style-type: none">- Hypalon 1670 Fabric inflatable tube- Antislip patches on boarding locations
Deck Plan Equipment and Furnishing <ul style="list-style-type: none">- Cabin roof rack- Towing eye in bow- Teak deck	Navigational / Electrical Equipment <ul style="list-style-type: none">- 1 x 12inch Raymarine Axiom Touch GPS plotter- 2 x 9inch Raymarine Axiom



RAF NAR

<ul style="list-style-type: none">- Cabin with watertight windows and door- 6 x ULLMAN Echelon suspension seats or 2 x ULLMAN Echelon suspension seats + 2 x 3pax RAFNAR suspension sofas- Stern GRP sofa bucket type- Interior handrail & side handrail- WC in aft cabin- Silvertex upholstery of clients choice & interior combo of leather & alcadara- 2 x side doors	<ul style="list-style-type: none">- 1 x Raymarine Quantum 24 Radar- 1 x Magnetic Compass- 1 x Raymarine Ray53 VHF Radio- C Zone Digital Switching- FUSION Marine Stereo with Bluetooth Audio Streaming- Mercury Vessel View integrated
<p>Certifications</p> <ul style="list-style-type: none">- Lloyds Special Service Craft Hull Certificate (optional)- CE Design Module Aa Category B <p>Warranty</p> <ul style="list-style-type: none">- 5Y warranty by RAFNAR Hellas- Mercury Limited Warranty	<p>Additional Equipment included:</p> <ul style="list-style-type: none">- 12000 btu Cabin Air Conditioning- Italwinch windlass including chain & anchor- 100L Fresh water tank and grey tank- 2 x marine fridge 51lt